

U.S. Patent Application No. 10/083,657  
Amendment dated June 28, 2006  
Reply to Office Action dated May 25, 2006

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1-14. (Canceled)

15. (Previously presented) A method of milling material comprising milling said material with a first milling media having a first size, then replacing said first milling media with a second milling media having a size smaller than said first size, and then milling said material with said second milling media, wherein said material comprises a getter material, a starting niobium oxide, an oxygen reduced niobium oxide, or combinations thereof.

16. (Previously presented) The method of claim 15, wherein said first milling media and said second milling media are first milling balls having a first ball diameter and second milling balls having a second ball diameter, respectively.

17. (Previously presented) The method of claim 16, wherein said material initially is no smaller than about 1/10 of said first ball diameter.

18. (Previously presented) The method of claim 17, wherein said first milling balls are replaced by said second milling balls when said material is from about 1/100 to about 1/1000 size of said first ball diameter.

19. (Previously presented) The method of claim 16, wherein said second ball diameter is less than about 10 times said size of said material when said first milling balls are replaced by said second milling balls.

20. (Original) The method of claim 15, further comprising at least one additional

U.S. Patent Application No. 10/083,657  
Amendment dated June 28, 2006  
Reply to Office Action dated May 25, 2006

milling step using milling media wherein the size of the milling media has an increasingly smaller size compared to the most previous milling step.

21. (Canceled)

22. (Previously presented) The method of claim 18, wherein said second ball diameter is less than about 10 times said size of said material when said first milling balls are replaced by said second milling balls.

23. (Canceled)

24. (Canceled)

25. (Withdrawn - Currently amended) The method of claim ~~1~~ 15, wherein said getter material is first introduced ~~into said mill~~ and is milled for a predetermined time and then said starting niobium oxide is introduced ~~into said mill~~ and said getter material and said niobium oxide are milled together.

26. (Previously presented) The method of claim 25, wherein said starting niobium oxide is introduced in to said mill after the particle size of said getter material is from about 1 to about 10 microns.

27-29. (Canceled)

30. (Previously presented) A method of milling material comprising milling in a mill said material with a first milling media having a first size, then replacing said first milling media with a second milling media having a size smaller than said first size, and then milling said material with said second milling media, wherein said milling results in a particle size of 5 microns or less for the material wherein said material comprises niobium, niobium hydride, niobium pentoxide, an oxygen reduced niobium oxide, or combinations thereof.

U.S. Patent Application No. 10/083,657  
Amendment dated June 28, 2006  
Reply to Office Action dated May 25, 2006

31. (Previously presented) The method of claim 30, wherein the mill has surfaces and said surfaces of the mill that come in contact with said material comprise niobium or alloy thereof, an oxide thereof, a nitride thereof, or niobium with at least one dopant.

32. (Previously presented) The method of claim 30, wherein said first and second milling media are first milling balls and second milling balls, respectively, which are coated with niobium or are completely made of niobium.

33. (Previously presented) The method of claim 30, wherein said material is present with at least one binder, dispersant, solvent, surfactant, lubricant, or combinations thereof.

34. (Previously presented) A method of milling material comprising wet milling niobium or niobium hydride with a first milling media having a first size, then replacing said first milling media with a second milling media having a size smaller than said first size, and then milling said niobium or niobium hydride with said second milling media to form a milled niobium or niobium hydride and then co-milling said milled niobium or niobium hydride or combinations thereof with niobium pentoxide wherein said niobium pentoxide and said niobium or said niobium hydride or combinations thereof have a particle size of 5 microns or less after said co-milling.

35. (Previously presented) The method of claim 34, wherein said material is present with at least one binder, dispersant, solvent, surfactant, lubricant, or combinations thereof.

36. (Previously presented) The method of claim 34, wherein said milling occurs in a mill having surfaces that come in contact with said material comprise niobium or alloy thereof, an oxide thereof, a nitride thereof, or niobium with at least one dopant.

37. (Previously presented) The method of claim 34, wherein said niobium or niobium

U.S. Patent Application No. 10/083,657  
Amendment dated June 28, 2006  
Reply to Office Action dated May 25, 2006

hydride prior to said co-milling is dry.